


Compressore Monocilindrico 12V DC

Interamente in metallo e montato su cuscinetti a sfera, garantisce prestazioni professionali con il minimo ingombro.

**One Cylinder Compressor 12V DC**

All-metal construction, assembled in ball bearings, ensures professional performances with minimum sizes.

CODICE :GRU12CC20VE**DATI TECNICI**

Cilindrata	cmc 20				
Giri/minuto	3600				
	l/min.	Cfm		bar	psi
Aria Aspirata/Aria Resa	61/51	1.82	a	2	29
	60/32	1.14	a	6	87
	61/26	0.93	a	8	116
Pressione max 12 bar			a	12	174
Assorbimento Max	Amp. 20				
Potenza media assorbita	Watt 200				
Classe di protezione	IP 20				
Classe di servizio	S 1				
Rumorosità	Db 68				
Dimensioni compressore	Cm 21 x 11 x h17				
Peso compressore	Kg 3				

Raccomandato per uso a ciclo continuo: Max 60'

**TECHNICAL DATA**

Swept	cmc 20				
Rpm	3600				
	l/min.	cfm		bar	psi
Air Displacement/Air Delivery	61/51	1.82	at	2	29
	60/32	1.14	at	6	87
	61/26	0.93	at	8	116
Max pressure 12 bar			at	12	174
Max Amp. absorption	Amp 20				
Average power absorption	Watt 200				
Protection class	IP 20				
Service class	S 1				
Noise level	Db 68				
Compressor dimensions	Cm 21 x 11 x h17				
Compressor weight	Kg 3				

Continuous cycle to work: Max 60'

I dati sono suscettibili di modifiche senza preavviso - The company reserves the right to change any element without notice.

-ALCUNE VERSIONI / SOME MODELS-

GRU12CC20VEDIR 21x11xh17 Kg.3.5



GRU12CC20VEDIRF 21x19xh17 Kg.4.5
Special Filter



KITSER12VELT5 Kg.7



ELECOM12DCLT5VEF 44x24xh34 Kg.8
Special Filter



ELECOM12DCLT5VEVAL 58x22xh41 Kg.9



VALGRU12CC20VE 53x29xh27 Kg.5